



EMPOWERING YOUR RIDE WITH ELECTRIC



## "THERE IS NO BETTER TIME TO RIDE THAN RIDING A TIME MOTO: KTV F9"

KTV-F9 is a full size electric dirt bike that provides the <u>closest</u> experience to a traditional internal combustion engines. By having similar <u>mechanical</u> <u>gearbox</u> and <u>braking systems</u>, adaptability is of ease and faster.

It is also convenient for beginners to learn with <u>less</u> <u>technical</u> skills particularly with the handling of the clutch. One can easily stick to a single gear and still able to ride the whole way.

Having <u>instant high torque</u> on-demand from an electric motor makes riding pleasurable and fun ie. to whip that corner, to jump or to climb. It can be very addictive.

At the same time, as a <u>Green Machine</u>, one can expect very <u>low-maintenance</u>, <u>low-noise</u> and <u>zero-emission</u>. A new energy cluster particularly beneficial in the off-road segment.

At Wira Mobility, we strive to provide the <u>best</u> <u>value</u> in the market and unwavering support to all our clients.

Top Speed
110 km/h

**Range** Max 100 km **Peak Power** 9 kw

KTV F9

Power Mode:
Eco/Sport
Weight
116kg

R: 100/90-18

DO OLOU PO

High-Capacity
Lithium Battery
72v 50ah/60ah

DC 3kw rated PMSM motor

520 chain

Product Specification

Peak Power : 9kw Gear : N-7-2-3-4

Working Voltage: 72V Rated Current: 150A

**Motor:** DC 3kw rated PMSM

Controller: SJ-72480-4.5-18G

Power Mode: Eco or Sport

Transmission Mode: 520 Chain

Max Speed: 110 km/h Max Torque: 600 N.m.

Battery Capacity: 72V 50Ah (Optional 60Ah)

Distance Per Charge: 100km (< 50km/h)

Charging Time: 3 - 4 hours

F&R Absorber: Fully Adjustable Hydraulic Clamping

F&R Tire: All Terrain

Rim & HubRim: 7116 code alloy

**Hub:** Casting

Swing Arm: Aluminium Alloy

Brake (Front/Rear): Disk/Disk

Tyre (Front/Rear): 80/100-21; 110/90-18

Safety: Emergency Magnetic Kill Switch

All Sets Of Light: LED (head, tail, signals, brakes)

Display: LCD Meter (Battery level, Speed, Odometer, Gear)

Hand Bar: Aluminium Alloy

Frame Type: Iron/Aluminium Alloy, nylon 7075

Wheel Base: 1440mm Seat Height: 910mm

**Ground Clearance: 340mm** 

L×W×H: 2120mm × 800mm × 1235mm with Skid Plate

**Net Weight :** 116kg (battery weight included)

Max Loading Weight: 150kg



info@wiramobility.com www.wiramobility.com Mobile: +6017-480 7438











